



RESECTION snares, esd-knife, coagulation forceps, injection needles, polyp trap and nets

YOUR TRUSTED PARTNER IN ENDOSCOPY




In order to make the removal of polyps in everyday hospital routine as efficient as possible, MICRO-TECH has developed a program of disposable polypectomy snares which perfectly combines quality with cost effectiveness. Each snare is made of specially stranded wire, with enduring radial force, high dimensional stability and precise cutting properties. The 3-ring handle offers a secure hold and transmits every movement reliably to the snare.

SPECIFIC CHARACTERISTICS

- Very comfortable to use
- Reliable and safe
- Innovative HF-connection
- Ergonomic 3-ring handle
- Excellent cutting properties
- High strength of shape
- Strong price-performance ratio

SUCCESSFUL IN PRACTICAL USE

The special stranded wire of DailySnare endows the snare with the radial force it needs to open and be controlled in any position, easily and reliably. DailySnare has proved its worth as a reliable solution in daily routine work owing to its enormous dimensional stability and good cutting properties. Thanks to the new handle the snare can easily be opened and closed even if connected to the HF-cable.



SPECIFICATIONS

REF	Catheter Ø mm	Length mm	Snare Ø mm	Snare type
DISPOSABLE POLYPECTOMY	SNARES			
PFS01-01023230	2.3	2300	10	Oval
PFS01-01523230	2.3	2300	15	Oval
PFS01-02023230	2.3	2300	20	Oval
PFS01-02423230	2.3	2300	24	Oval
PFS01-03623230	2.3	2300	36	Oval
PFS01-12423230	2.3	2300	24	Hexagonal
PFS01-33023230	2.3	2300	10/20/30	3 in 1 vario

COLDSNARE RELIABLE RESECTION OF POLYPS ≤ 9MM


The Coldsnare from MICRO-TECH is an instrument that is suitable above all for cold resection of polyps \leq 9mm. This thin, braided cutting wire and its 0.23 mm wire thickness were specially developed for cold resection and makes for a highly precise, clean cut in combination with the snare design optimized for excision of small polyps. The excised polyp is free of thermal defects and ensures that the histological assessment will provide valuable information.

SPECIFIC CHARACTERISTICS

- Compliant with guidelines for polyps \leq 9mm
- Special cutting wire
- Optimized snare design
- Precise, uniform cut
- High level of control
- Ergonomic grip



Precision grip with ergonomic design



REF	Tube Ø mm	Length mm	Snare Ø mm	Snare type	Wire Ø mm
COLDSNARE					
CS3-11023230	2.3	2300	10	Rhombus	0.23
CS3-11523230	2.3	2300	15	Rhombus	0.23


LESIONHUNTER COLDSNARE EFFICIENT AND PRECISE RESECTION

The LesionHunter Coldsnare expands MICRO-TECH's portfolio with a highly stable and precise cold resection solution. The snare features a rotatable nitinol loop that maintains its oval shape even after multiple resections, ensuring consistent tissue capture. The ultra-thin 0.18-mm


nitinol wire smoothly separates the tissue and the polyp, leaving the polyp in the resection bed so it can be easily found and removed. The LesionHunter Coldsnare is available in three snare diameters – 10, 15 and 20 mm – and thus offers the right solution for many polyp sizes.

SPECIFIC CHARACTERISTICS


- Rotatable, dimensionally stable snare for increased durability
- Thin nitinol wire for a clean cut
- Wrapped metal catheter for more stability during resection
- Ergonomic 3-ring handle for precise control
- Removed tissue remains in the resection bed and is easier to find



In contrast to traditionally braided cold snares, the LesionHunter snare consists of a 0.18-mm thin monofilament nitinol wire.



Removing small polyps with a cold snare can reduce the risk of delayed bleeding.




The three available snare diameters allow the selection of a snare that completely encloses the polyp. As a result, a safe distance from healthy tissue around the resection site can be achieved after the resection.



The LesionHunter Coldsnare reliably encloses the polyp, and its ultra-thin 0.18-mm monofilament nitinol wire ensures a clean cut.



Every movement of the ergonomic handle is transferred directly to the snare – for precise rotations and secure cuts.



SPECIFICATIONS

REF	Max. outer diameter mm	Working length mm	Snare Ø mm	Snare shape	Wire thickness mm
LESIONHUNTER COLDSNARE					
CS2-21023231	≤2.5	2300	10	Oval	0.18
CS2-21523231	≤2.5	2300	15	Oval	0.18
CS2-22023231	≤2.5	2300	20	Oval	0.18



The GOLDKNIFE from MICRO-TECH allows for effective and reliable endoscopic submucosal dissections. Thanks to the combination of water-jet and electro-surgery, all working steps - marking (with the exception of the IT type), injection, dissection and coagulation – can be performed without switching instruments. The high-pressure water jet combined with electrosurgery creates a submucosal pillow of water that allows replenishment at any time to protect against thermal and mechanical injuries. The handle facilitates a smooth and seamless extension of the knife. The balanced rigidity of the tube also enables precise knife guidance. Choose from four different knife tips with different cutting and coagulation properties.

SPECIFIC CHARACTERISTICS

- Water jet combined with electrosurgery
- Independent marking (with the exception of the IT type), injection, dissection and coagulation without switching instruments
- Replenishing the water pillow (optional) while dissecting and resecting
- 4 different knife types

Length of Total length of knife






Type T: Ideal for removing under tension. Better coagulation options and

Type I: Great freedom of movement, versatile, higher level of difficulty



Type O: Crescent-shaped tip maximizes coagulation effect



Marking



Injection water cushion

Type IT: The 1.6 mm insulated ceramic tip minimizes the risk of perforation and thus enables safe dissection

E G C



optimized cutting direction while disecting

Dissection



Findings after removal

SPECIFICATIONS


REF	Shape of the knife tip	Total length of knife / Length of knife tip mm	Working length mm	Working channel Ø mm			
GOLDKNIFE-I-TYP							
MK-I-1-165		1.5	1650	2.8			
MK-I-1-235		1.5	2350	2.8			
MK-I-2-165	1	2	1650	2.8			
MK-I-2-235	I	2	2350	2.8			
MK-I-4-165		4	1650	2.8			
MK-I-4-235	I	4	2350	2.8			
GOLDKNIFE-O-TYP							
MK-O-1-165	0	1.5/0.35	1650	2.8			
MK-O-1-235	0	1.5/0.35	2350	2.8			
MK-O-2-165	0	2/0.35	1650	2.8			
MK-O-2-235	0	2/0.35	2350	2.8			
MK-O-4-165	0	4/0.35	1650	2.8			
MK-0-4-235	0	4/0.35	2350	2.8			
GOLDKNIFE-T-TYP							
MK-T-1-165	Т	1.5/0.35	1650	2.8			
MK-T-1-235	Т	1.5 / 0.35	2350	2.8			
MK-T-2-165	Т	2/0.35	1650	2.8			
MK-T-2-235	Т	2/0.35	2350	2.8			
MK-T-4-165	Т	4/0.35	1650	2.8			
MK-T-4-235	Т	4/0.35	2350	2.8			
GOLDKNIFE-IT-TYP							
MK-IT-4-235	IT	5.6	2350	2.8			



The MICRO-TECH Traction Device 'SureTrac' offers a practical and proven method for supporting ESD procedures in the gastrointestinal tract. With the well-established LOCKADO[™] clip and the elastic silicone band, the preloaded system enables efficient tissue tension and improves the view of the dissection area. The traction is achieved by hooking a second clip into one of the four available rings. The four rings allow individual adjustment of the span and can be readjusted during the procedure. SureTrac is a functional system that enables easy handling and effectively supports the clinical workflow.

SPECIFIC CHARACTERISTICS

- Preloaded traction system
- Elastic, latex-free silicone band with four rings
- Small retaining ring secures silicone band to the clip arm
- Improved view of the resection area



REF	Clip opening width mm	Total length mm	Working channel Ø mm	Distance between the first and fourth ring mm
SURETRAC				
ETD01008	11	2350	3.2	12.3



ENSURE FORCEPS FOR SAFE COAGULATION

MICRO-TECH ENSURE Coagulation Forceps are designed to assist physicians in effectively coagulating bleeding sites during interventional endoscopic procedures. They allow the user to securely grasp vessels and cut or coagulate them using HF power connection. Bleeding vessels can be reliably staunched during and after endoscopic submucosal dissection, without harming the surrounding tissue. This is ensured by the well-grooved jaws of the forceps. They ensure a secure grip and prevent slippage during coagulation. Thanks to the maximum opening width of up to 6.3 mm, even large lesions can be coagulated. Precise and comfortable operation is ensured by the ergonomic handle, which enables reliable rotation of the forceps. In addition, the bidirectional HF power connection ensures more comfortable handling during the procedure.

SPECIFIC CHARACTERISTICS

- For effective hemostasis during ESD and EMR
- Secure, non-slip hold
- Reliable rotation
- 360° bidirectional rotation of the HF power connection
- Opening width 6.3



Ergonomic 3-ring handle with soft grip and 360° HF power connection

REF	Opening width mm	Length mm	Branch	Exterior diameter of distal tips mm	Working channel Ø mm
ТҮРЕ В					
CF165-B	6.3	1650	grooved	≤ 2.7	≥ 2.8
CF230-B	6.3	2300	grooved	≤ 2.7	≥ 2.8



DISTAL CAPS clear view for clear results

The 4 mm distal caps provide an optimal field of view during therapeutic procedures and diagnostics. The transparent material allows a clear view and provides a reliable grip on the endoscope. The soft material is ideal for smoothing mucosal folds. Surrounding or affected tissue is thus protected. The distance between the endoscope and the mucosa makes the distal cap ideal for a range of endoscopic procedures.

SPECIFIC CHARACTERISTICS

- Optimized view through transparency
- Side opening for pressure equalization and also for draining liquids
- Facilitates detection
- Secure grip on the endoscope
- Atraumatic, distal cap edge





VERSATILE APPLICATIONS

- ESD
- EMR
- Zenker
- Hemostasis
- Colonoscopies

SPECIFICATIONS

REF	Form	Length mm	Distal cap Ø in mm							
DISTAL CAPS										
XT-DL-092-40	straight	4	9.0 - 9.2							
XT-DL-098-40	straight	4	9.6 - 9.8							
XT-DL-099-40	straight	4	9.7 – 10.1							
XT-DL-115-40	straight	4	11.3 – 11.7							
XT-DL-122-40	straight	4	12.0 - 12.4							
XT-DL-128-40	straight	4	12.6 - 13.0							
XT-DL-132-40	straight	4	13.0 - 13.4							

INJECTION NEEDLE RELIABLE AND SAFE TO THE TIP

MICRO-TECH's disposable injection needle facilitates clinical practice due to its ergonomic handle and especially sharp needle. The anti-skid design guarantees convenient control with just one hand. For even more precise punctures the handle can be locked in several stages. When the needle is released, it snaps back into the catheter to avoid damage to the working channel.

SPECIFIC CHARACTERISTICS

- Ergonomic anti-slip handle
- Adjustable pressure pad
- Automatic needle-feed
- Soft, atraumatic silicone head
- Needle with extremely sharp, precision cut
- Different needle diameters
- LL needle connector




the second



Needle completely retracted

Compact ergonomical design

REF	Needle stroke mm	Needle Ø	Working length Ø mm	Length mm
INJECTION NEEDLE - POL	YPECTOMY / EMR			
IN12-195232302	5	19 G = 0.9 mm	2.8	2300
IN12-225232302	5	22 G = 0.7 mm	2.8	2300
IN12-255232302	5	25 G = 0.5 mm	2.8	2300
INJECTION NEEDLE – ESD)			
IN12-224232302	4	22 G = 0.7 mm	2.8	2300
IN12-254232302	4	25 G = 0.5 mm	2.8	2300



Packaging unit: 10 pieces

Also available in other versions

POLYP TRAP with four chambers

SPECIFIC CHARACTERISTICS

- Four separate numbered chambers in transparent transport container
- Flexible connecting hoses
- Accurate allocation of samples
- Safe connection to endoscope and suction system

SPECIFICATIONS

REF	Description
POLYP TRAP	
BBP-50	Polyp trap with 4-chamber





PROTRAP LUMA for greater clarity during polyp removal

With MICRO-TECH's inline polyp trap, removing polyps larger than 1 mm is particularly safe and easy. The unique design enables non-contact sampling and is gentle on the polyp. The extracted polyp is collected in the sample tray and can be viewed in detail through the built-in magnification window. To collect several samples, the sample tray can be quickly and easily exchanged, with no loss of suction power.

SPECIFIC CHARACTERISTICS

- Removable drip tray
- Magnification window
- Ergonomic design
- Easy to use
- Tightly sealed for safe suction
- Light stick for better polyp visibility





ProTrap Luma consists of a tube, trap body, collection sieve and light stick

The trays capture the polyps, are easily replaceable and fit into a standard sample cup

SPECIFICATIONS

REF PROTRAP LUMA	Description	Packaging unit
BBPA00001	ProTrap Luma In-Line Polyp Trap	25 pcs/box
BBPA10001	ProTrap Luma Specimen Tray	50 pcs/box

NETS SAFELY REMOVE FOREIGN BODIES AND POLYPS

The MT net has been developed for the removal of polyps and foreign bodies and enables the reliable recovery of tissue samples. The net itself consists of a reinforced thread material, which offers additional safety during recovery. Thanks to its unique dimensional stability and large opening, it facilitates work over several passes

SPECIFIC CHARACTERISTICS

- Large net
- High quality manufacture
- Comfortable 3-ring handle
- Easy and precise opening



Shape stable MT net

REF	Ø net mm	Snare	Working length mm	Ø working channel mm
RETRIEVALNET				
NT-E-30/23-P	30	Oval	2300	2.8
NT-E-30/16-P	30	Oval	1600	2.8



						•										•						٠															•	
•			•		•	•		•	•	•					•	•			•	•	•	٠		•	•		•	•	•	•	٠	٠		•	•		•	•
•	•	•	•	•	٠	٠	•	•	•	٠	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•
•	•	•	·	•	٠	•	•	•	٠	٠	•	•	•	•	•	٠	*	•	·	•	•	•	•	•	•	•	•	•	•	•	•	*	•	٠	•	•	•	•
•	•	•	•	٠	·	•	•	٠	•	٠	٠	٠	•	•	•	•	٠	•	•	٠	٠	•	•	•	•	•	٠	•	•	•	٠	٠	٠	٠	٠	•	٠	•
•	•	•	•	•	•	•	٠	٠	•	•	•	٠	•	•	•	•	۰	•	•	•	٠	•	٠	•	•	•	•	•	•	•	•	•	٠	٠	•	•	•	•
	•	•	•	•	•	•		•	•	•				•	•	•			•	•				•	•	•			•	•	•			•	•	•		
	•														•							•										*	*				•	
																																					•	
	•				•	٠			•	•					•	٠				•	•	٠								•						•		
٠	٠	•		•	٠	•		•	•	•		•			•	•	•		•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	٠	•	
•	٠	•			•	•	•	•			•	•	•		•	•	•	•	•	•	•	•	•	•		•		•	•		•	•	•	•	•	•	•	•
•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	٠	٠	٠	•	•	•	•
•	•	٠	·	٠	·	٠	•	٠	•	•	٠	٠	•	•	•	•	٠	•	·	•	٠	٠	•	•	•	•	٠	•	•	•	٠	٠	٠	٠	٠	٠	٠	•
•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•
•	•	•	•	•	•	•		•	•	•	•			•	•	•	•		•	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•	•	•
																																					•	
										•												•																
								•												•			•								•	•		•		•		
•	•	•	•	•	•	•		•		•					•	•	•		•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	·	•	٠	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	*	•	•	•	•	•	•
٠	٠	•	•	*	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	٠	٠	•	•	•	•		•	•	•	•		•	•	•	•	٠	•
٠	۰	٠	·	٠	·	٠	•	•	•	•	•	٠	•	•	•	•		•	•	•	•	٠	•	•	•	•	٠	•	•	•	٠				٠	٠	٠	•
	•	•	•	•	•	•		•	•	•				•	•	•			•	•				•	•	•			•	•	•			•	•	•		
•																																					•	
																																				•		
				•				٠									٠			•	•		٠				٠					٠	٠	•				
•	٠		•		٠	٠		•	•	•					•	٠			•	•	•	٠		•	•		•		•	•	•		•		•	•		
٠	٠	•	•	•	٠	٠		•	٠	٠		•			•	•	•		•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	٠	•	•
•	•	•	·	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•
	•																																					
	٠																																					
	•																																					
																						٠														•		
٠	٠				٠	٠	٠	•	٠	٠		٠	•	•	•	•	٠			•	•	٠	•		٠		٠			•	•	٠	٠	•	•	•	•	
٠	٠	•	•		٠	٠		•	٠	٠	•	•		•	•	٠	•		•	•	•		•	•	٠			•	•	•	•	٠		•	•		•	
•	•	•		•	•	•	•	•			•	•	•		•	•	•		•	•	•	•	•	•		•	•	•	•		•	•	•	•	•	•	•	•
٠	٠	•	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	٠																•	•	•	•	•	٠	•	•	•	•											•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•





MICRO-TECH Europe GmbH Mündelheimer Weg 36 40472 Düsseldorf | Germany P +49 (0)211 73 27 626-0 | F +49 (0)211 73 27 626-99 contact.emea@mtmed.com www.emea.mtmed.com